

SEPP 65 Apartment Design Guide												
No.	Required / Permitted		Comment	Comply								
<b>Part 3 - Siting the Development</b>												
<b>3A</b>	<b>Site Analysis</b>											
3A-1	<i>Site analysis illustrates that design decisions have been based on opportunities and constraints of the site conditions and their relationship to the surrounding context.</i>			Yes								
<b>3B</b>	<b>Orientation</b>											
3B-1	<i>Building types and layouts respond to the streetscape and site while optimising solar access within the development.</i>			N/A								
3B-2	<i>Overshadowing of neighbouring properties is minimised during mid-winter.</i>			N/A								
<b>3C</b>	<b>Public Domain Interface</b>											
3C-1	<i>Transition between private and public domain is achieved without compromising safety and security.</i>			N/A								
3C-2	<i>Amenity of the public domain is retained and enhanced.</i>			N/A								
<b>3D</b>	<b>Communal and Public Open Space</b>											
3D-1	<i>An adequate area of communal open space is provided to enhance residential amenity and to provide opportunities for landscaping.</i>			N/A								
	<b>Design Criteria</b>	Communal open space has a minimum area equal to 25% of the site.	The communal open space area is not proposed to change.	N/A								
		Developments achieve a minimum of 50% direct sunlight to the principal usable part of the communal open space for a minimum of 2 hours between 9 am and 3 pm on 21 June (mid-winter).	The communal open space area is not proposed to change.	N/A								
3D-2	<i>Communal open space is designed to allow for a range of activities, respond to site conditions and be attractive and inviting.</i>			N/A								
3D-3	<i>Communal open space is designed to maximise safety.</i>			N/A								
3D-4	<i>Public open space, where provided, is responsive to the existing pattern and uses of the neighbourhood.</i>			N/A								
<b>3E</b>	<b>Deep Soil Zones</b>											
3E-1	<i>Deep soil zones provide areas on the site that allow for and support healthy plant and tree growth. They improve residential amenity and promote management of water and air quality.</i>			N/A								
	<b>Design Criteria</b>	Deep soil zones are to meet the following minimum requirements:	The deep soil zone is not proposed to change.	N/A								
		<table border="1"> <thead> <tr> <th>Site area</th> <th>Minimum dimensions</th> <th>Deep soil zone (% of site area)</th> </tr> </thead> <tbody> <tr> <td>less than 650m<sup>2</sup></td> <td>-</td> <td rowspan="4">7%</td> </tr> <tr> <td>650m<sup>2</sup> - 1,500m<sup>2</sup></td> <td>3m</td> </tr> <tr> <td>greater than 1,500m<sup>2</sup></td> <td>6m</td> </tr> <tr> <td>greater than 1,500m<sup>2</sup> with significant existing tree cover</td> <td>6m</td> </tr> </tbody> </table> <p><b>Design guidance</b> On some sites it may be possible to provide larger deep soil zones, depending on the site area and context:</p> <ul style="list-style-type: none"> <li>• 10% of the site as deep soil on sites with an area of 650m<sup>2</sup> - 1,500m<sup>2</sup></li> <li>• 15% of the site as deep soil on sites greater than 1,500m<sup>2</sup></li> </ul>			Site area	Minimum dimensions	Deep soil zone (% of site area)	less than 650m <sup>2</sup>	-	7%	650m <sup>2</sup> - 1,500m <sup>2</sup>	3m
Site area	Minimum dimensions	Deep soil zone (% of site area)										
less than 650m <sup>2</sup>	-	7%										
650m <sup>2</sup> - 1,500m <sup>2</sup>	3m											
greater than 1,500m <sup>2</sup>	6m											
greater than 1,500m <sup>2</sup> with significant existing tree cover	6m											
	<b>Design guidance</b>	Achieving the design criteria may not be possible on some sites including where:	Not Applicable.	N/A								
		<ul style="list-style-type: none"> <li>• the location and building typology have limited or no</li> </ul>										

SEPP 65 Apartment Design Guide															
No.	Required / Permitted	Comment	Comply												
	<p>space for deep soil at ground level (e.g. central business district, constrained sites, high density areas, or in centres).</p> <ul style="list-style-type: none"> <li>there is 100% site coverage or non-residential uses at ground floor level.</li> </ul> <p>Where a proposal does not achieve deep soil requirements, acceptable stormwater management should be achieved and alternative forms of planting provided such as on structure.</p>														
<b>3F</b>	<b>Visual Privacy</b>														
<b>3F-1</b>	<i>Adequate building separation distances are shared equitably between neighbouring sites, to achieve reasonable levels of external and internal visual privacy.</i>		Yes												
	<p><b>Design Criteria</b></p> <p>Separation between windows and balconies is provided to ensure visual privacy is achieved. Minimum required separation distances from buildings to the side and rear boundaries are as follows:</p> <table border="1"> <thead> <tr> <th>Building height</th> <th>Habitable rooms and balconies</th> <th>Non-habitable rooms</th> </tr> </thead> <tbody> <tr> <td>up to 12m (4 storeys)</td> <td>6m</td> <td>3m</td> </tr> <tr> <td>up to 25m (5-8 storeys)</td> <td>9m</td> <td>4.5m</td> </tr> <tr> <td>over 25m (9+ storeys)</td> <td>12m</td> <td>6m</td> </tr> </tbody> </table> <p><b>Note:</b> Separation distances between buildings on the same site should combine required building separations depending on the type of room.</p> <p>Gallery access circulation should be treated as habitable space when measuring privacy separation distances between neighbouring properties.</p>	Building height	Habitable rooms and balconies	Non-habitable rooms	up to 12m (4 storeys)	6m	3m	up to 25m (5-8 storeys)	9m	4.5m	over 25m (9+ storeys)	12m	6m	<p><b>North to Approved Building 1:</b> Minimum separation distances remain as approved.</p> <p><b>South over Neil Street:</b> Minimum separation distances remain as approved.</p> <p><b>East to Railway Line:</b> No changes are proposed.</p> <p><b>West to approved Building 2:</b> Minimum separation distances remain as approved.</p>	Yes
Building height	Habitable rooms and balconies	Non-habitable rooms													
up to 12m (4 storeys)	6m	3m													
up to 25m (5-8 storeys)	9m	4.5m													
over 25m (9+ storeys)	12m	6m													
	<p>Apartment buildings should have an increased separation distance of 3m (in addition to the requirements set out in design criteria 1) when adjacent to a different zone that permits lower density residential development to provide for a transition in scale and increased landscaping.</p>	Not Applicable.	N/A												
<b>3F-2</b>	<i>Site and building design elements increase privacy without compromising access to light and air and balance outlook and views from habitable rooms and private open space.</i>		N/A												
<b>3G</b>	<b>Pedestrian Access and Entries</b>														
<b>3G-1</b>	<i>Building entries and pedestrian access connects to and addresses the public domain.</i>		N/A												
<b>3G-2</b>	<i>Access, entries and pathways are accessible and easy to identify.</i>		N/A												
<b>3G-3</b>	<i>Large sites provide pedestrian links for access to streets and connection to destinations.</i>		N/A												
<b>3H</b>	<b>Vehicle Access</b>														

SEPP 65 Apartment Design Guide																
No.	Required / Permitted		Comment	Comply												
3H-1	<i>Vehicle access points are designed and located to achieve safety, minimise conflicts between pedestrians and vehicles and create high quality streetscapes.</i>			N/A												
3J	<b>Bicycle and Car Parking</b>															
3J-1	<i>Car parking is provided based on proximity to public transport in metropolitan Sydney and centres in regional areas.</i>			N/A												
	<b>Design Criteria</b>	<p>For development in the following locations:</p> <ul style="list-style-type: none"> <li>on sites that are within 800 metres of a railway station or light rail stop in the Sydney Metropolitan Area; or</li> <li>on land zoned, and sites within 400 metres of land zoned, B3 Commercial Core, B4 Mixed Use or equivalent in a nominated regional centre.</li> </ul> <p>The minimum car parking requirement for residents and visitors is set out in the Guide to Traffic Generating Developments, or the car parking requirement prescribed by the relevant council, whichever is less.</p> <table border="1"> <thead> <tr> <th colspan="2">Control</th> </tr> </thead> <tbody> <tr> <td>1 bedroom</td> <td>0.6 spaces</td> </tr> <tr> <td>2 bedroom</td> <td>0.9 space</td> </tr> <tr> <td>3 bedroom</td> <td>1.4 spaces</td> </tr> <tr> <td>4+ bedroom</td> <td>1.4 spaces</td> </tr> <tr> <td>Visitor / dwelling</td> <td>0.2 spaces</td> </tr> </tbody> </table>	Control		1 bedroom	0.6 spaces	2 bedroom	0.9 space	3 bedroom	1.4 spaces	4+ bedroom	1.4 spaces	Visitor / dwelling	0.2 spaces	No changes are proposed to the bicycle and car parking arrangement.	N/A
Control																
1 bedroom	0.6 spaces															
2 bedroom	0.9 space															
3 bedroom	1.4 spaces															
4+ bedroom	1.4 spaces															
Visitor / dwelling	0.2 spaces															
3J-2	<i>Parking and facilities are provided for other modes of transport.</i>			N/A												
3J-3	<i>Car park design and access is safe and secure</i>			N/A												
3J-4	<i>Visual and environmental impacts of underground car parking are minimised.</i>			N/A												
3J-5	<i>Visual and environmental impacts of on-grade car parking are minimised.</i>			N/A												
3J-6	<i>Visual and environmental impacts of above ground enclosed car parking are minimised.</i>			N/A												
<b>Part 4 - Designing the Building</b>																
4A	<b>Solar and Daylight Access</b>															
	<i>To optimise the number of apartments receiving sunlight to habitable rooms, primary windows and private open space.</i>			N/A												
	<b>Design Criteria</b>	<p>Living rooms and private open spaces of at least 70% of apartments in a building receive a minimum of 2 hours direct sunlight between 9 am and 3 pm at mid-winter in the Sydney Metropolitan Area and in the Newcastle and Wollongong local government areas.</p> <p>A maximum of 15% of apartments in a building receive no direct sunlight between 9 am and 3 pm at mid-winter.</p>	<p>Solar access to living rooms and private open space areas within the development are not proposed to change.</p> <p>Solar access to living rooms and private open space areas within the development are not proposed to change.</p>	N/A												
4A-2	<i>Daylight access is maximised where sunlight is limited.</i>			N/A												
4A-3	<i>Design incorporates shading and glare control, particularly for warmer months.</i>			N/A												
4B	<b>Natural Ventilation</b>															
4B-1	<i>All habitable rooms are naturally ventilated.</i>			N/A												
4B-2	<i>The layout and design of single aspect apartments maximises natural ventilation.</i>			N/A												
4B-3	<i>The number of apartments with natural cross ventilation is maximised to create a comfortable</i>			N/A												

SEPP 65 Apartment Design Guide																			
No.	Required / Permitted		Comment	Comply															
	<i>indoor environment for residents.</i>																		
	<b>Design Criteria</b>	At least 60% of apartments are naturally cross ventilated in the first nine storeys of the building. Apartments at ten storeys or greater are deemed to be cross ventilated only if any enclosure of the balconies at these levels allows adequate natural ventilation and cannot be fully enclosed.	No changes are proposed to the number of units which achieve natural ventilation.	N/A															
		Overall depth of a cross-over or cross-through apartment does not exceed 18m, measured glass line to glass line.	No changes are proposed to the depth of cross-over and cross-through units.	N/A															
<b>4C</b>	<b>Ceiling Heights</b>																		
<b>4C-1</b>	<i>Ceiling height achieves sufficient natural ventilation and daylight access.</i>			N/A															
	<b>Design Criteria</b>	Measured from finished floor level to finished ceiling level, minimum ceiling heights are: <table border="1" data-bbox="354 853 810 1205"> <thead> <tr> <th colspan="2">Minimum ceiling height for apartment and mixed use buildings</th> </tr> </thead> <tbody> <tr> <td>Habitable rooms</td> <td>2.7m</td> </tr> <tr> <td>Non-habitable</td> <td>2.4m</td> </tr> <tr> <td>For 2 storey apartments</td> <td>2.7m for main living area floor 2.4m for second floor, where its area does not exceed 50% of the apartment area</td> </tr> <tr> <td>Attic spaces</td> <td>1.8m at edge of room with a 30 degree minimum ceiling slope</td> </tr> <tr> <td>If located in mixed used areas</td> <td>3.3m for ground and first floor to promote future flexibility of use</td> </tr> </tbody> </table> <p>These minimums do not preclude higher ceilings if desired.</p>	Minimum ceiling height for apartment and mixed use buildings		Habitable rooms	2.7m	Non-habitable	2.4m	For 2 storey apartments	2.7m for main living area floor 2.4m for second floor, where its area does not exceed 50% of the apartment area	Attic spaces	1.8m at edge of room with a 30 degree minimum ceiling slope	If located in mixed used areas	3.3m for ground and first floor to promote future flexibility of use	The ceiling heights are not proposed to change.	N/A			
Minimum ceiling height for apartment and mixed use buildings																			
Habitable rooms	2.7m																		
Non-habitable	2.4m																		
For 2 storey apartments	2.7m for main living area floor 2.4m for second floor, where its area does not exceed 50% of the apartment area																		
Attic spaces	1.8m at edge of room with a 30 degree minimum ceiling slope																		
If located in mixed used areas	3.3m for ground and first floor to promote future flexibility of use																		
<b>4C-2</b>	<i>Ceiling height increases the sense of space in apartments and provides for well-proportioned rooms.</i>			N/A															
<b>4C-3</b>	<i>Ceiling heights contribute to the flexibility of building use over the life of the building.</i>			N/A															
<b>4D</b>	<b>Apartment Size and Layout</b>																		
<b>4D-1</b>	<i>The layout of rooms within an apartment is functional, well organised and provides a high standard of amenity.</i>			Yes															
	<b>Design Criteria</b>	Apartments are required to have the following minimum internal areas: <table border="1" data-bbox="354 1518 810 1706"> <thead> <tr> <th>Apartment type</th> <th>Minimum internal area</th> </tr> </thead> <tbody> <tr> <td>Studio</td> <td>35m<sup>2</sup></td> </tr> <tr> <td>1 bedroom</td> <td>50m<sup>2</sup></td> </tr> <tr> <td>2 bedroom</td> <td>70m<sup>2</sup></td> </tr> <tr> <td>3 bedroom</td> <td>90m<sup>2</sup></td> </tr> </tbody> </table> <p>The minimum internal areas include only one bathroom. Additional bathrooms increase the minimum internal area by 5m<sup>2</sup> each. A fourth bedroom and further additional bedrooms increase the minimum internal area by 12m<sup>2</sup> each.</p>	Apartment type	Minimum internal area	Studio	35m <sup>2</sup>	1 bedroom	50m <sup>2</sup>	2 bedroom	70m <sup>2</sup>	3 bedroom	90m <sup>2</sup>	All modified units comply with the minimum unit sizes under the ADG.  Various unit sizes are proposed to be increased with the reduction to the size of their balconies with some units proposed to contain an additional bathroom. Despite the changes, all units will remain compliant with the ADG minimum internal area requirements as detailed in the following table:	Yes					
Apartment type	Minimum internal area																		
Studio	35m <sup>2</sup>																		
1 bedroom	50m <sup>2</sup>																		
2 bedroom	70m <sup>2</sup>																		
3 bedroom	90m <sup>2</sup>																		
			<table border="1" data-bbox="341 1939 1327 2060"> <thead> <tr> <th>Unit</th> <th>Type</th> <th>Min Size (m<sup>2</sup>)</th> <th>Proposed Size (m<sup>2</sup>)</th> <th>Comply</th> </tr> </thead> <tbody> <tr> <td colspan="5" style="text-align: center;"><b>Ground Floor</b></td> </tr> <tr> <td>4.0.03</td> <td>2 bed 2 bath</td> <td>75</td> <td>75</td> <td>Yes</td> </tr> </tbody> </table>	Unit	Type	Min Size (m <sup>2</sup> )	Proposed Size (m <sup>2</sup> )	Comply	<b>Ground Floor</b>					4.0.03	2 bed 2 bath	75	75	Yes	
Unit	Type	Min Size (m <sup>2</sup> )	Proposed Size (m <sup>2</sup> )	Comply															
<b>Ground Floor</b>																			
4.0.03	2 bed 2 bath	75	75	Yes															

SEPP 65 Apartment Design Guide						
No.	Required / Permitted			Comment		Comply
	4.0.05	2 bed 2 bath	75	81	Yes	
	4.0.06	1 bed 1 bath	50	51.5	Yes	
	<b>Levels 1-5</b>					
	4.L.03	2 bed 2 bath	75	75	Yes	
	4.L.05	2 bed 2 bath	75	81	Yes	
	4.L.07	3 bed 2 bath	95	107.5	Yes	
	4.L.09	2 bed 2 bath	75	82	Yes	
	4.L.11	2 bed 2 bath	75	82	Yes	
	4.L.15	2 bed 2 bath	75	75.5	Yes	
	<b>Level 6</b>					
	4.6.02	2 bed 2 bath	75	76.75	Yes	
	4.6.04	2 bed 2 bath	75	82	Yes	
	4.6.06	2 bed 2 bath	75	82	Yes	
	4.6.10	2 bed 2 bath	75	75.5	Yes	
	<b>Level 7</b>					
	4.7.02	2 bed 2 bath	75	76.75	Yes	
	4.7.04	2 bed 2 bath	75	82	Yes	
	4.7.06	2 bed 2 bath	75	82	Yes	
	4.7.10	2 bed 2 bath	75	75.5	Yes	
	<b>Level 8</b>					
	4.8.04	2 bed 2 bath	75	76.5	Yes	
	4.8.05	2 bed 2 bath	75	81.5	Yes	
	<b>Levels 9-11</b>					
	4.L.04	2 bed 2 bath	75	82	Yes	
	4.L.05	2 bed 2 bath	75	81.5	Yes	
	Every habitable room must have a window in an external wall with a total minimum glass area of not less than 10% of the floor area of the room. Daylight and air may not be borrowed from other rooms.			No changes are proposed which limits the extent of daylight and natural ventilation to the proposed development.		N/A
<b>4D-2</b>	<i>Environmental performance of the apartment is maximised.</i>					Yes
	<b>Design Criteria</b>	Habitable room depths are limited to a maximum of 2.5 x the ceiling height.		The proposed development complies with this requirement.		Yes
		In open plan layouts (where the living, dining and kitchen are combined) the maximum habitable room depth is 8m from a window.		No changes are proposed which affect the room depth to open plan layouts.		N/A
<b>4D-3</b>	<i>Apartment layouts are designed to accommodate a variety of household activities and needs.</i>					Yes
	<b>Design Criteria</b>	Master bedrooms have a minimum area of 10m <sup>2</sup> and other bedrooms 9m <sup>2</sup> (excluding wardrobe space).		The proposed development complies with this requirement.		Yes
		Bedrooms have a minimum dimension of 3m (excluding wardrobe space).		The proposed development complies with this requirement.		Yes
		Living rooms or combined living/dining rooms have a minimum width of: • 3.6m for studio and 1 bedroom apartments • 4m for 2 and 3 bedroom apartments.		The proposed development complies with this requirement.		Yes
		The width of cross-over or cross-through apartments are at least 4m internally to avoid deep narrow apartment layouts.		The proposed development complies with this requirement.		Yes

SEPP 65 Apartment Design Guide																			
No.	Required / Permitted		Comment	Comply															
<b>4E</b>	<b>Private Open Space and Balconies</b>																		
<b>4E-1</b>	<i>Apartments provide appropriately sized private open space and balconies to enhance residential amenity.</i>			Yes															
	<b>Design Criteria</b>	<p>All apartments are required to have primary balconies as follows:</p> <table border="1"> <thead> <tr> <th>Dwelling type</th> <th>Minimum area</th> <th>Minimum depth</th> </tr> </thead> <tbody> <tr> <td>Studio apartments</td> <td>4m<sup>2</sup></td> <td>-</td> </tr> <tr> <td>1 bedroom apartments</td> <td>8m<sup>2</sup></td> <td>2m</td> </tr> <tr> <td>2 bedroom apartments</td> <td>10m<sup>2</sup></td> <td>2m</td> </tr> <tr> <td>3+ bedroom apartments</td> <td>12m<sup>2</sup></td> <td>2.4m</td> </tr> </tbody> </table> <p>The minimum balcony depth to be counted as contributing to the balcony area is 1m.</p> <p>For apartments at ground level or on a podium or similar structure, a private open space is provided instead of a balcony. It must have a minimum area of 15m<sup>2</sup> and a minimum depth of 3m.</p>	Dwelling type	Minimum area	Minimum depth	Studio apartments	4m <sup>2</sup>	-	1 bedroom apartments	8m <sup>2</sup>	2m	2 bedroom apartments	10m <sup>2</sup>	2m	3+ bedroom apartments	12m <sup>2</sup>	2.4m	<p>All modified units will have a primary balcony complying with the minimum POS sizes under the ADG. The proposal mainly alters the size of secondary balconies to maximise the internal space.</p> <p>No changes are proposed the ground floor private open space areas.</p>	Yes
Dwelling type	Minimum area	Minimum depth																	
Studio apartments	4m <sup>2</sup>	-																	
1 bedroom apartments	8m <sup>2</sup>	2m																	
2 bedroom apartments	10m <sup>2</sup>	2m																	
3+ bedroom apartments	12m <sup>2</sup>	2.4m																	
<b>4E-2</b>	<i>Primary private open space and balconies are appropriately located to enhance liveability for residents.</i>			N/A															
<b>4E-3</b>	<i>Private open space and balcony design is integrated into and contributes to the overall architectural form and detail of the building.</i>			Yes															
<b>4E-4</b>	<i>Private open space and balcony design maximises safety.</i>			Yes															
<b>4F</b>	<b>Common Circulation and Spaces</b>																		
<b>4F-1</b>	<i>Common circulation spaces achieve good amenity and properly service the number of apartments.</i>			N/A															
	<b>Design Criteria</b>	<p>The maximum number of apartments off a circulation core on a single level is eight.</p> <p>For buildings of 10 storeys and over, the maximum number of apartments sharing a single lift is 40.</p>	<p>The maximum number of units per core is not proposed to change.</p> <p>The number of apartments serviced by the lift cores are not proposed to change.</p>	N/A															
<b>4F-2</b>	<i>Common circulation spaces promote safety and provide for social interaction between residents.</i>			N/A															
<b>4G</b>	<b>Storage</b>																		
<b>4G-1</b>	<i>Adequate, well designed storage is provided in each apartment.</i>			Yes															
	<b>Design Criteria</b>	<p>In addition to storage in kitchens, bathrooms and bedrooms, the following storage is provided:</p> <table border="1"> <thead> <tr> <th>Dwelling type</th> <th>Storage size volume</th> </tr> </thead> <tbody> <tr> <td>Studio apartments</td> <td>4m<sup>3</sup></td> </tr> <tr> <td>1 bedroom apartments</td> <td>6m<sup>3</sup></td> </tr> <tr> <td>2 bedroom apartments</td> <td>8m<sup>3</sup></td> </tr> <tr> <td>3+ bedroom apartments</td> <td>10m<sup>3</sup></td> </tr> </tbody> </table> <p>At least 50% of the required storage is to be located within the apartment.</p>	Dwelling type	Storage size volume	Studio apartments	4m <sup>3</sup>	1 bedroom apartments	6m <sup>3</sup>	2 bedroom apartments	8m <sup>3</sup>	3+ bedroom apartments	10m <sup>3</sup>	<p>An additional storage cupboard is proposed to the living areas of numerous apartments which is an increase of storage area in comparison to the approved DA. Notwithstanding this, a condition was imposed on the original consent requiring all units to comply with the internal storage requirements of the ADG and that condition will remain on any modified consent granted.</p>	Yes					
Dwelling type	Storage size volume																		
Studio apartments	4m <sup>3</sup>																		
1 bedroom apartments	6m <sup>3</sup>																		
2 bedroom apartments	8m <sup>3</sup>																		
3+ bedroom apartments	10m <sup>3</sup>																		
<b>4G-2</b>	<i>Additional storage is conveniently located, accessible and nominated for individual apartments.</i>			N/A															
<b>4H</b>	<b>Acoustic Privacy</b>																		
<b>4H-1</b>	<i>Noise transfer is minimised through the siting of buildings and building layout.</i>			N/A															
<b>4H-2</b>	<i>Noise impacts are mitigated within apartments through layout and acoustic treatments.</i>			N/A															
<b>4J</b>	<b>Noise and Pollution</b>																		
<b>4J-1</b>	<i>In noisy or hostile environments the impacts of external noise and pollution are minimised</i>			N/A															

SEPP 65 Apartment Design Guide			
No.	Required / Permitted	Comment	Comply
	<i>through the careful siting and layout of buildings.</i>		
4J-2	<i>Appropriate noise shielding or attenuation techniques for the building design, construction and choice of materials are used to mitigate noise transmission.</i>		N/A
4K	<b>Apartment Mix</b>		
4K-1	<i>A range of apartment types and sizes is provided to cater for different household types now and into the future.</i>		N/A
4K-2	<i>The apartment mix is distributed to suitable locations within the building.</i>		N/A
4L	<b>Ground Floor Apartments</b>		
4L-1	<i>Street frontage activity is maximised where ground floor apartments are located.</i>		N/A
4L-2	<i>Design of ground floor apartments delivers amenity and safety for residents.</i>		N/A
4M	<b>Façades</b>		
4M-1	<i>Building facades provide visual interest along the street while respecting the character of the local area.</i>		Yes
4M-2	<i>Building functions are expressed by the façade.</i>		Yes
4N	<b>Roof Design</b>		
4N-1	<i>Roof treatments are integrated into the building design and positively respond to the street.</i>		N/A
4N-2	<i>Opportunities to use roof space for residential accommodation and open space are maximised.</i>		N/A
4N-3	<i>Roof design incorporates sustainability features.</i>		N/A
4O	<b>Landscape Design</b>		
4O-1	<i>Landscape design is viable and sustainable.</i>		N/A
4O-2	<i>Landscape design contributes to the streetscape and amenity.</i>		N/A
4P	<b>Planting on Structures</b>		
4P-1	<i>Appropriate soil profiles are provided.</i>		N/A
4P-2	<i>Plant growth is optimised with appropriate selection and maintenance.</i>		N/A
4P-3	<i>Planting on structures contributes to the quality and amenity of communal and public open spaces.</i>		N/A
4Q	<b>Universal Design</b>		
4Q-1	<i>Universal design features are included in apartment design to promote flexible housing for all community members.</i>		Yes
4Q-2	<i>A variety of apartments with adaptable designs are provided.</i>		Yes
4Q-3	<i>Apartment layouts are flexible and accommodate a range of lifestyle needs.</i>		Yes
4R	<b>Adaptive Reuse</b>		
4R-1	<i>New additions to existing buildings are contemporary and complementary and enhance an area's identity and sense of place.</i>		N/A
4R-2	<i>Adapted buildings provide residential amenity while not precluding future adaptive reuse.</i>		N/A
4S	<b>Mixed Use</b>		
4S-1	<i>Mixed use developments are provided in appropriate locations and provide active street frontages that encourage pedestrian movement.</i>		N/A
4S-2	<i>Residential levels of the building are integrated within the development, and safety and amenity is maximised for residents.</i>		N/A
4T	<b>Awnings and Signage</b>		
4T-1	<i>Awnings are well located and complement and integrate with the building design.</i>		N/A
4T-2	<i>Signage responds to the context and desired streetscape character.</i>		N/A
4U	<b>Energy Efficiency</b>		
4U-1	<i>Development incorporates passive environmental design.</i>		Yes
4U-2	<i>Development incorporates passive solar design to optimise heat storage in winter and reduce heat transfer in summer.</i>		N/A
4U-3	<i>Adequate natural ventilation minimises the need for mechanical ventilation.</i>		N/A
4V	<b>Water Management and Conservation</b>		
4V-1	<i>Potable water use is minimised.</i>		N/A
4V-2	<i>Urban stormwater is treated on site before being discharged to receiving waters.</i>		N/A
4V-3	<i>Flood management systems are integrated into site design.</i>		N/A
4W	<b>Waste Management</b>		
4W-1	<i>Waste storage facilities are designed to minimise impacts on the streetscape, building entry and amenity of residents.</i>		N/A
4W-2	<i>Domestic waste is minimised by providing safe and convenient source separation and recycling.</i>		N/A

SEPP 65 Apartment Design Guide			
No.	Required / Permitted	Comment	Comply
<b>4X</b>	<b>Building Maintenance</b>		
<b>4X-1</b>	<i>Building design detail provides protection from weathering.</i>		N/A
<b>4X-2</b>	<i>Systems and access enable ease of maintenance.</i>		N/A
<b>4X-3</b>	<i>Material selection reduces ongoing maintenance costs.</i>		N/A